Quality Assurance Requirements on Federal-aid Projects



2011 Asphalt Pavement Conference

Steve Healow FHWA California Division

Ontario, CA

November 3, 2011





U.S. Department of Transportation Federal Highway Administration

General Outline

- Quality Assurance requirements as set forth in 23 CFR 637
- Where they apply/do not apply
- Responsibilities of the State DOT
- Six Critical Elements of a Quality Assurance Program
- Define terms
- Conclusion



🏉 2011 CFR Title 23, Volum	ie 1 - Windov	vs Internet Explo	rer			
GO - 🔊 http://www.acce	ess.gpo.gov/nar	a/cfr/waisidx_11/23cf	r637_11.html		y fy 🗙 gov	ernment printing offic
File Edit View Favorites	Tools Help		🎨 Convert 🕞 🔂 Select			
😭 🕸 🌈 2011 CFR Title 23, V	olume 1				🙆 • 🛙	🗟 🕤 🖶 🝷 🔂 P
	Title 23	3Highways	6			-
			ERAL HIGHWA TRANSPORT	Y ADMINISTRATIO	N,	
	PART	637CONS	TRUCTION INS	PECTION AND APP	PROVAL	-
		637.201	Purpose.			
		637.203	Definitions.			
		637.205	Policy.			
		637.207	Quality assurance	ce program.		
		637.209	Laboratory and qualifications.	sampling and testing per	rsonnel	
		Appendix	Appendix A to	Subpart B of Part 6370	Guide Letter of	

Done 😜 Internet 2 🖁 🔕 🍛 😔 🛛 🕞 7 Microsoft Office O... 🔹 👩 Microsoft PowerPoint ... 🖉 🕑 💽 候 6 2011 CFR Title 23, Vo. 🛃 start

Back IN IRA

Certification by State Engineer

"... Purpose: To prescribe policies, procedures and guidelines to assure the quality of materials and construction in all Federal-aid highway projects on the National Highway System..."

23 CFR 637 Subpart B – "Quality Assurance Procedures for Construction"

§636.507

(b) In situations where the solicitation stated that evaluation credit would be given for technical solutions exceeding any mandatory minimums you may hold discussions regarding increased performance beyond any man datory minimums, and you may supgest to offerors that have exceeded any mandatory minimums (in ways that are not integral to the design), that their proposals would be more competitive if the ancessas were removed and the offered price decreased.

\$636.507 What subjects are prohibited in discussions, communications and clarifications with offerers?

You may not engage in conduct that: (a) Favors one offeror over another: (b) Reveals an offeror's technical solution, including unique technology, innovative and unique uses of commencial items, or any information that would compromise an offeror's intellectual property to another offeror:

(c) Reveals an offerors price without that offeror's permission;

(d) Reveals the names of individuals providing reference information about an offeror's past performance; or (e) Knowingly furnish source selection information which could be in yto lation of State procurement integrity

1636.508 Can price or cost be an issue in discus

You may inform an offeror that its price is considered to be too high, or too low, and reveal the results of the analysis supporting that conclusion. At your discretion, you may indicate to all offerors your estimated cost for the project.

§636.509 Can offerers revise their pro-posals as a result of discussions?

(a) Yes, you may request or allow proposal revisions to clarify and document understandings reached during discussions. At the conclusion of discusaions, each offeror shall be given an opportunity to submit a final proposal revision.

(b) You must establish a commo out-off date only for receipt of final proposal revisions. Requests for final proposal perisions shall advise offerors that the final proposal revisions shall

federal Highway Administration, DOT 23 CFR Ch. I (4-1-10 Edition)

mation

an ills are met.

be in writing and that the contraction agency intends to make award without (b) Yes, after the source selection but obtaining further registions.

1686.510 Can the competitive range is further defined have begun? once discus

Yes, you may further narrow the competitive range if an offeror orig nally in the competitive range is as longer considered to be among the most highly rated offerers being onsidered for award. That offeror may he eliminated from the commetitive rase whather or not all material aspects of the proposal have been discussed, whether or not the offeror has been as forded an opportunity to submit a proposal revision. You must provide an offeror excluded from the competitive range with a written determination and notice that proposal revisions will not be considered

1636.514 How may I provide notifica-638.511 Can there be more than our round of discussions? Yes may provide pre-award or post-

Yes, but only at the conclusion discussions will the offerors be requested to submit a final proposal retsion, also called best and final offer (BAFO). Thus, regardless of the length or number of discussions, there will be only one request for a revised proposil (i.e., only one BAFO).

\$636.512 What is the basis for the source selection deci-

(a) You must have the source sale tion decision on a comparative assess ment of proposals against all selectis criteria in the solicitation. While you may use reports and analyses memory by others, the source selection decisite shall represent your independent jade ment.

(b) The source selection decision shall be documented, and the doc mentation shall include the rational for any business judgments and trate offs made or relied on, including been fits associated with additional costs Although the rationals for the sela tion decision must be documented, that documentation need not quantify the tradeoffs that led to the decision

1436.513 Are limited negotiations al lowed prior to contract execution?

to contract execution, you may

resourt limited negotiations with the

minining issues regarding scope

aketed design-builder to clarify any

award notifications in accordance with

requests a debriefing, you may pro-

strictings in accordance with State

Subpart A (Reserved)

for Construction

NUMP Quality assurance program. SUMP Laboratory and mampling and test-ing personnel qualifications.

OUDS LETTER OF CENTREMENT BY

AUGHORNY: Sec. 1207, Pub. L. 185-176, 112

at 107: 29 U.S.C. 109, 114, and 816; 49 CFR

Sonace: 60 FR, 33717, June 28, 1906, unless

Statusial, Notz: Nomenclature changes to pet 63 appear at 67 FB 35696, Dec. 10, 1900.

State approved procedures. If an offer-

pre-award OF.

reval procedures

grift Purpass. grift Definitions.

STATS ENDINER.

therwise noted.

89 305 Policy.

110151

Subpart A [Reserved] Subpart B-Quality Assurance Procedures for Construction

\$637,203

4637.201 Purpose

To prescribe policies, procedures, and guidelines to assure the quality of mawrists and construction in all Federal aid highway projects on the National Highway System

§ 637.208 Definitions.

Acceptance program. All factors that comprise the State transportation department's (STD) determination of the partments (STD) detarmination of the quality of the product as specified in the contract requirements. These fac-tors include vertication sampling. testing, and inspection and may toclude results of quality control sam-

tivities that are an unbiased and inde-pendent evaluation of all the sampling and testing procedures used in the acosptance program. Test procedures used in the acceptance program which are performed in the STD's central laborntory would not be covered by an independent assurance program.

Qualified Interatories. Laboratories that are capable as defined by approprinte programs established by each STD. As a minimum, the qualification program shall include provisions for checking tast equipment and the lab-oratory shall keep records of calibration checks.

Qualified sampling and tasting personnel. Personnel who are capable as defined by appropriate programs established by each STD.

Canney assurance. All those planned and systematic actions necessary to provide confidence that a product or service will satisfy given requirements for enality. Quality control. All contractor/vendor

operational techniques and notivities that are performed or conducted to fulfill the contract requirements.

222

schedule, financing or any other information provided by that offeror. You must comply with the provisions of (a) Limited negotiations conducted under this section may include neuro-tations necessary to incorporate the

post-award

sizes and concepts from unsuccessful offerors into the contract if a stipend is offered by the contracting agency and accepted by the unsnocessful offeror f the requirements of section

87 FE 78605, Dec. 10, 2005, as amended at 70 12 77602, Dec. 19, 5006] pling and testing. Independent assurance pro

Proficiency samples. Homogeneous samples that are distributed and tested by two or more laboratories. The test regults are compared to assure that the aboratories are obtaining the same re-

PART 637-CONSTRUCTION INSPECTION AND APPROVAL anlts Subport 8-Quality Assurance Procedures

223

Authority/Legal Basis



- Title 23 U.S. Code § 109. Standards
- (a) In General. The Secretary shall ensure that the plans and specifications for each proposed highway project under this chapter provide for a facility that will — (1) adequately serve the existing and planned future traffic of the highway in a manner that is conducive to safety, durability, and economy of maintenance; and
- (2) be designed and constructed in accordance with criteria best suited to accomplish the objectives described in paragraph (1) and to conform to the particular needs of each locality.



23 CFR 637 applies to federally-funded projects on the National Highway System





03-ED-50, PM 0.2/9.1 HOV Widening Project



04-Sol-80, PM 29, Leisure Town Road O.C., City of Vacaville



What does 23 CFR 637 require of local agencies?

- The regulation does not specifically mention local agencies
- The regulation applies to all Federal-aid highway construction projects on the National Highway System.
- The regulation enumerates requirements for the State DOTs under the general headings Quality Assurance Program, Acceptance Program, Independent Assurance Program, Dispute Resolution, Qualified Technicians and Qualified Laboratories.

What does 23 CFR 637 require of a State DOT?

- A statewide quality assurance program which meets these requirements
 - Acceptance Program
 - Frequency guide, specific location, specific attributes
 - Independent Assurance Program
- A central lab (AMRL/CCRL certified)
- Adequate qualified staff
- Q.C. sampling and testing is evaluated by an I.A. program
- Verification sampling & testing by qualified testing personnel
- A dispute resolution system
- A materials certification for each project

Six Critical E	Elements of a Quality Assuran	nce Program
Critical Element	Responsible Party	
	Contractor	State D.O.T.
Quality Control	V	
Acceptance		V
Independent Assurance		V
Dispute Resolution		V
Qualified Laboratories	V	V
Qualified Sampling and Testing Technicians	V	V

Quality Assurance Definitions

Quality Assurance = "...All those planned and systematic actions necessary to provide confidence that a product or facility will perform satisfactorily in service." [TRB Circular E –C037 & AASHTO R10]

Simple Definition

Quality Assurance = "...Making sure the quality of a product is what it should be."



Contractor Quality Control





 "Quality Control is the system used by a Contractor party to monitor, assess and adjust their production or placement processes to ensure that the final product will meet the specified level of quality."

Contractor Quality Control

QC is the responsibility of the contractor; this includes:

- Prime (general) contractor
- Subcontractors
- Producers
- Fabricators
- Manufacturers



Acceptance (Verification)

Acceptance = "All factors used by the Agency (e.g. sampling, testing, inspection) to evaluated the degree of compliance with contract requirements and to determine the corresponding value for a given product. "

The Agency is entirely responsible for Acceptance.







Three Principal Materials Categories (AASHTO R38)

• Project Produced Materials



• Fabricated Structural Materials

Standard Manufactured Materials





Independent Assurance

- "Activities that are an unbiased and independent evaluation of all the sampling and testing (or inspection) procedures used in the Quality Assurance Program." [AASHTO R44]
- I.A. is not used to make a determination of project quality or acceptability

STATE OF CALIFORNIA. DEPARTMENT OF TRANS REPORT OF WITNESS TEST TL-0103 (REV. 06/00)	PORTATION		
NAME (Tester)		VALID TL-0111 _ Yes _	No
DATE (Witness Test)		Yes D No	
	•		
WAS A MATERIAL TESTED?	s 🗌 No	TEST PROCEDURE	
TYPE OF MATERIAL			
LOCATION OF WITNESS TEST			
LOCATION OF SAMPLED MATERIAL			
RESULTS WERE SAMPLING PR	OCEDURES CORRECT?	WERE TESTING PROCEDURES CORRECT?	
□ Yes	s 🗌 No 🗌 N/A	🗌 Yes 🗌 No 🗌 N/A	





Dispute Resolution

- "The procedure used to resolve conflicts resulting from discrepancies between the Agency's and Contractor's results of sufficient magnitude to impact payment."
- Use to address disputes involving test methods, results, or inspectionrelated disputes.
- Use of 3rd party is recommended to avoid bias or conflict of interest.





Laboratory Qualification and Accreditation

- AASHTO Materials Reference Lab Accreditation Program
 - All Agency Central Labs
 - Consultant Labs used for Independent Assurance or Dispute Resolution
- State DOT Laboratory Qualification Program
 - All other Labs performing sampling and testing used in Agency Acceptance decision



Form TL-0113	UALIFIED LABORATORY INSPECTION REPORT Expected by: IN No: Phone: Far Matrias Category 500
Laboratory: Address: City: Lab QC Mgr.:	State:Zip:
Telephone:	Fax #:
A certified Indep Only I Natio	endent Assurance (IA) visited this laboratory on (Date)
At the	APPENDIX F
indica of Pro	CALTRANS LABORATORY ACCREDITATION MANUAL
	 Contacts Laboratory name, address, telephone number, and fax number.
	 Organizational Chart Laboratory organizational chart (complete and up-to-date).
A visi	 Quality Control Manager Laboratory Quality Control Manager qualifications.
	 Laboratory Affiliations Laboratory accreditations/certifications/qualifications (private, city, county, state, federal)
	 Reference Sample Records Proof of current and past successful participation in proficiency testing with reference samples.
_	 List of Test Procedures List of test procedures (accreditation will be limited to relevant tests).
0n	 Calibration Testing equipment calibration, service and investory list: All test equipment calibration, maintenance, and service will be documented. All calibration devices will be meetable to the Nisional Institute of Standards and Calibration, maintenance, and service will be in accordance with accepted standards, maintefacture's recommendation, and applicable bett procedures, institute will be under the service of the service will be in accordance with accepted standards.
	enceed one year. All lots expounds will have a calibration decal attached. The calibration decal will have information specified in the calibration periods of fair manual. the information specified in the calibration of the
	 Personael List of personaet to be qualified for testing including: Materials-related work experience numaries. Copies of current certificationingualifications (aCL INCET, NRMCA, Caltrant, etc.). Detailed numary of training, and naming dete.
	 Nuclear Gage Nuclear gage license (if applicable). Nuclear moisture/density gages will have current calibration.

Qualified sampling and testing personnel

- Personnel who are capable as defined by appropriate programs established by each State DOT
 - Training history (Instruction, OJT)
- Exams (written, performance)
- Periodic re-qualification (e.g. 1-5 years)
- Removal process for improper procedures, falsifying data, or false statements

CERTIFICATE O	ents this DF PROFICIENCY to
	autrana
who is qualified to perf	orm the following tests:
Test method & expiration date	Test method & expiration date
fortified Independent Assurance (IA)	_
	Note: This certificate is valid as long as the Tester complian with applicable requirements in Calman' Independent Armanas, Program Mamal.



Conclusions

- 23 CFR 637 applies to all Federal-aid highway projects on the National Highway System.
- For local agency projects which are not on the NHS but do have Federal highway trust fund dollars, other standards will apply (e.g. an approved quality assurance plan).
- For local agency projects not on the NHS, not on the state highway system and with no Federal funds, the local agency selects the standards that apply.



STATE OF CALIFORNIA

